L Number	Hits	Search Text	DB	Time stamp
- ranimer	19413	controll\$3 adj access\$3	USPAT;	2004/05/05 11:40
[US-PGPUB;	
		•	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1817	, , , , , , , , , , , , , , , , , , ,	USPAT;	2004/05/05 11:41
		medium\$1)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
	5452	 (controll\$3 adj access\$3) and ((stor\$3 adj	USPAT;	2004/05/05 11:45
-	3432	medium\$1) or (stor\$3 adj devic\$3))	US-PGPUB;	2004,03,03 11.13
		medium(); Of (3001)3 dd devicy3//	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	4245	((controll\$3 adj access\$3) and ((stor\$3	USPAT;	2004/05/05 11:49
		adj medium\$1) or (stor\$3 adj devic\$3)))	US-PGPUB;	
		and (host\$1 or network\$3 or (main adj	EPO; JPO;	
		computer\$1))	DERWENT;	
			IBM_TDB	0004/05/05 11 50
-	699	(((controll\$3 adj access\$3) and ((stor\$3	USPAT;	2004/05/05 11:50
		adj medium\$1) or (stor\$3 adj devic\$3)))	US-PGPUB; EPO; JPO;]
		and (host\$1 or network\$3 or (main adj	DERWENT;	
		computer\$1))) and intelligent\$3	IBM TDB	
_	983	(((controll\$3 adj access\$3) and ((stor\$3	USPAT;	2004/05/05 11:54
-	963	adj medium\$1) or (stor\$3 adj devic\$3)))	US-PGPUB;	2001,00,00 22101
		and (host\$1 or network\$3 or (main adj	EPO; JPO;	
		computer\$1))) and (control\$4 adj	DERWENT;	
		information)	IBM TDB	
_	908	((((controll\$3 adj access\$3) and ((stor\$3	USPAT;	2004/05/05 11:55
		adj medium\$1) or (stor\$3 adj devic\$3)))	US-PGPUB;	
		and (host\$1 or network\$3 or (main adj	EPO; JPO;	
		computer\$1))) and (control\$4 adj	DERWENT;	
1		information)) and interfac\$3	IBM_TDB USPAT;	2004/05/05 12:00
-	647	(((((controll\$3 adj access\$3) and ((stor\$3	US-PGPUB;	2004/03/03 12:00
		adj medium\$1) or (stor\$3 adj devic\$3))) and (host\$1 or network\$3 or (main adj	EPO; JPO;	
		computer\$1))) and (control\$4 adj	DERWENT;	
		information)) and interfac\$3) and ((non	IBM TDB	
		adj volatile) or (read adj only adj		
		memory) or ROM)	1	
-	656	(((((controll\$3 adj access\$3) and ((stor\$3	USPAT;	2004/05/05 12:03
		adj medium\$1) or (stor\$3 adj devic\$3)))	US-PGPUB;	
		and (host\$1 or network\$3 or (main adj	EPO; JPO;	
		computer\$1))) and (control\$4 adj	DERWENT;	
	1	information)) and interfac\$3) and ((non	IBM_TDB	ļ
	1	adj volatile) or (read adj only adj		
	157	memory) or ROM or PROM or EPROM or EEPROM) ((((((controll\$3 adj access\$3) and	USPAT;	2004/05/05 12:05
-	15/	((stor\$3 adj medium\$1) or (stor\$3 adj	US-PGPUB;	=====================================
		devic\$3))) and (host\$1 or network\$3 or	EPO; JPO;	
		(main adj computer\$1))) and (control\$4 adj	DERWENT;	
		information)) and interfac\$3) and ((non	IBM_TDB	
		adj volatile) or (read adj only adj		
		memory) or ROM or PROM or EPROM or		
		EEPROM)) and firmwar\$3		0004/05/05 10 00
-	582		USPAT;	2004/05/05 12:09
		((stor\$3 adj medium\$1) or (stor\$3 adj	US-PGPUB;	
		devic\$3))) and (host\$1 or network\$3 or	EPO; JPO; DERWENT;	
		(main adj computer\$1))) and (control\$4 adj information)) and interfac\$3) and ((non	IBM TDB	
		adj volatile) or (read adj only adj	12.1_100	1
		memory) or ROM or PROM or EPROM or		
		EEPROM)) and (volatil\$3 or (random adj		
		access adj memory) or RAM or (flash adj		
		memory))		

	146	((((((controll\$3 adj access\$3) and	USPAT;	2004/05/05 12:10
-	146	((stor\$3 adj medium\$1) or (stor\$3 adj	US-PGPUB;	2001,00,00 12.10
		devic\$3))) and (host\$1 or network\$3 or	EPO; JPO;	
		(main adj computer\$1))) and (control\$4 adj	DERWENT;	
		information)) and interfac\$3) and ((non	IBM_TDB	
		adj volatile) or (read adj only adj		
	1	memory) or ROM or PROM or EPROM or		
		EEPROM)) and (volatil\$3 or (random adj		
		access adj memory) or RAM or (flash adj		
	4.0	memory))) and firmwar\$3	USPAT;	2004/05/05 12:14
-	40			2004/05/05 12.14
		((stor\$3 adj medium\$1) or (stor\$3 adj	US-PGPUB;	
		devic\$3))) and (host\$1 or network\$3 or	EPO; JPO;	
		(main adj computer\$1))) and (control\$4 adj	DERWENT;	
		information)) and interfac\$3) and ((non	IBM_TDB	
		adj volatile) or (read adj only adj	_	
		memory) or ROM or PROM or EPROM or		
		EEPROM)) and (volatil\$3 or (random adj		
		access adj memory) or RAM or (flash adj		
		memory))) and firmwar\$3) and partition\$3		2004/05/05 12:13
-	40		USPAT;	2004/05/05 12:17
	i	((stor\$3 adj medium\$1) or (stor\$3 adj	US-PGPUB;	
		devic\$3))) and (host\$1 or network\$3 or	EPO; JPO;	
		(main adj computer\$1))) and (control\$4 adj	DERWENT;	
		information)) and interfac\$3) and ((non	IBM TDB	
		adj volatile) or (read adj only adj		
	1	adj volacile) of (lead adj only adj		
		memory) or ROM or PROM or EPROM or		
		EEPROM)) and (volatil\$3 or (random adj	1	!
		access adj memory) or RAM or (flash adj	İ	}
		memory))) and firmwar\$3) and (partition\$3		
		or detachment\$3)		
_	0	(((((((controll\$3 adj access\$3) and	USPAT;	2004/05/05 12:17
		((stor\$3 adj medium\$1) or (stor\$3 adj	US-PGPUB;	
		devic\$3))) and (host\$1 or network\$3 or	EPO; JPO;	1
		devices; and (noseque of necessary) of	DERWENT;	
		(main adj computer\$1))) and (control\$4 adj		
Į	1	information)) and interfac\$3) and ((non	IBM_TDB	
		adj volatile) or (read adj only adj		1
	1	memory) or ROM or PROM or EPROM or		
	1	EEPROM)) and (volatil\$3 or (random adj		
	1	access adj memory) or RAM or (flash adj		
		memory))) and firmwar\$3) and (boot		
		adj(partition\$3 or detachment\$3))		1
	22		USPAT;	2004/05/05 12:18
-	33		US-PGPUB;	-301, 00, 00 12.10
		((stor\$3 adj medium\$1) or (stor\$3 adj		
		devic\$3))) and (host\$1 or network\$3 or	EPO; JPO;	
		(main adj computer\$1))) and (control\$4 adj	DERWENT;	
	1	information)) and interfac\$3) and ((non	IBM_TDB	
		adj volatile) or (read adj only adj		
	1	memory) or ROM or PROM or EPROM or		
		EEPROM)) and (volatil\$3 or (random adj		
		access adj memory) or RAM or (flash adj		
		memory))) and firmwar\$3) and (boot)		1
1		memory))) and lirmwarss) and (boot)	1	<u> </u>

-	19	((((((((controll\$3 adj access\$3) and	USPAT;	2004/05/05 12:29
		((stor\$3 adj medium\$1) or (stor\$3 adj	US-PGPUB;	
		devic\$3))) and (host\$1 or network\$3 or	EPO; JPO;	
		(main adj computer\$1))) and (control\$4 adj information)) and interfac\$3) and ((non	DERWENT; IBM TDB	
		adj volatile) or (read adj only adj	1011-100	
		memory) or ROM or PROM or EPROM or		
		EEPROM)) and (volatil\$3 or (random adj		
		access adj memory) or RAM or (flash adj		
		memory))) and firmwar\$3) and (partition\$3		
1		or detachment\$3)) and (((((((controll\$3		
		adj access\$3) and ((stor\$3 adj medium\$1)		
		or (stor\$3 adj devic\$3))) and (host\$1 or		
		network\$3 or (main adj computer\$1))) and		
		(control\$4 adj information)) and		
		interfac\$3) and ((non adj volatile) or		
		(read adj only adj memory) or ROM or PROM or EPROM or EEPROM)) and (volatil\$3 or		
		(random adj access adj memory) or RAM or		
		(flash adj memory))) and firmwar\$3) and		
		(boot))		
_	10	(((((((((controll\$3 adj access\$3) and	USPAT;	2004/05/05 13:23
		((stor\$3 adj medium\$1) or (stor\$3 adj	US-PGPUB;	
		devic\$3))) and (host\$1 or network\$3 or	EPO; JPO;	
		(main adj computer\$1))) and (control\$4 adj	DERWENT;	
		information)) and interfac\$3) and ((non	IBM_TDB	
		adj volatile) or (read adj only adj		
		memory) or ROM or PROM or EPROM or		
		EEPROM)) and (volatil\$3 or (random adj		
		access adj memory) or RAM or (flash adj memory))) and firmwar\$3) and (partition\$3		
		or detachment\$3)) and (((((((controll\$3		
		adj access\$3) and ((stor\$3 adj medium\$1)		
		or (stor\$3 adj devic\$3))) and (host\$1 or		
		network\$3 or (main adj computer\$1))) and		
		(control\$4 adj information)) and		
		interfac\$3) and ((non adj volatile) or		
		(read adj only adj memory) or ROM or PROM		
		or EPROM or EEPROM)) and (volatil\$3 or		
		(random adj access adj memory) or RAM or		
		(flash adj memory))) and firmwar\$3) and		
	105	(boot))) and @ad < "19980509" boot adj partition	USPAT;	2004/05/05 13:24
_	105	boot adj partition	US-PGPUB;	2004/03/03 13.24
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	80	general adj partition	USPAT;	2004/05/05 13:24
		-	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		[IBM_TDB	0004/05/05 10 5:
-	10	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	USPAT;	2004/05/05 13:24
		partition)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	16439572	((boot adj partition) and (general adj	USPAT;	2004/05/05 13:25
1	10439372	partition)) @ad < "19980509"	US-PGPUB;	2001, 00, 00 10.20
			EPO; JPO;	
			DERWENT;	
-			IBM_TDB	
-	6	((boot adj partition) and (general adj	USPĀT;	2004/05/05 13:26
		partition)) and @ad < "19980509"	US-PGPUB;	
			EPO; JPO;	
	ľ		DERWENT;	
1	_	///>	IBM_TDB	2004/05/05 13:00
-	0		USPAT;	2004/05/05 13:26
		partition)) and @ad < "19980509") and (host with code)	US-PGPUB; EPO; JPO;	
		(nose with code)	DERWENT;	
			IBM TDB	
L	l			L

-	2	(((boot adj partition) and (general adj	USPAT;	2004/05/05 15:19
		partition)) and @ad < "19980509") and code	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	07	#E506201#	IBM_TDB USPAT;	2004/05/05 15:19
-	27	"5586301"	US-PGPUB;	2004/03/03 13:19
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	ا ہ	09674902.pn.	USPAT;	2004/05/05 15:46
	٥	03071302.p	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	"09674902"	USPAT;	2004/05/05 15:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/05/06 15 17
-	2	6092161.pn.	USPAT;	2004/05/06 15:17
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
	2	("5586301").PN.	USPAT;	2004/05/06 15:16
-	2	\ JJ00JUI . EN.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	2	6092161.pn.	USPAT;	2004/05/06 15:14
	_		US-PGPUB;	
			EPO; JPO;	
	İ		DERWENT;	
			IBM_TDB	
-	27	"5586301"	USPAT;	2004/05/06 15:15
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	0.7	#5506201#	IBM_TDB USPAT;	2004/05/06 15:21
-	27	"5586301"	US-PGPUB;	2004/03/00 13.21
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
1_	14	"5586301" and boot	USPAT;	2004/05/06 15:22
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
-	13	"5586301" and sector	USPAT;	2004/05/06 15:22
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_	4855050018	IBM_TDB	2004/05/06 15:23
-	8	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/05/06 15:23
		sector)	US-PGPUB; EPO; JPO;	
			DERWENT;	
	İ		IBM TDB	
1_	62392	"L8" and code	USPAT;	2004/05/06 15:23
-	02392		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	7	(("5586301" and boot) and ("5586301" and	USPAT;	2004/05/06 15:25
	1	sector)) and code	US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
			IBM TDB	

	,		<u> </u>	
-	991	("L8" and code) and perform	USPAT;	2004/05/06 15:25
			US-PGPUB; EPO; JPO;	
1			DERWENT;	
			IBM TDB	
_	3	((("5586301" and boot) and ("5586301" and	USPAT;	2004/05/06 15:25
		sector)) and code) and perform	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_	((("5586301" and boot) and ("5586301" and	IBM_TDB USPAT;	2004/05/06 15:26
_	·	sector)) and code) and operating	US-PGPUB;	2004/05/00 15.20
		Sectory, and code, and operating	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	7	1 , , , ,	USPAT;	2004/05/06 15:32
		sector)) and code) and operating) and	US-PGPUB;	
		(computer or pc)	EPO; JPO; DERWENT;	
			IBM TDB	
_	5	((((("5586301" and boot) and ("5586301"	USPAT;	2004/05/06 15:39
		and sector)) and code) and operating) and	US-PGPUB;	
		(computer or pc)) and partition	EPO; JPO;	
			DERWENT;	
		//////////////////////////////////////	IBM_TDB	0004/05/06 16 20
-	2	_ , , , , , , , , , , , , , , , , , , ,	USPAT; US-PGPUB;	2004/05/06 16:32
		and sector)) and code) and operating) and (computer or pc)) and partition) and	EPO; JPO;	
		(storage adj device)	DERWENT;	
		(5552495 44) 45.255,	IBM TDB	
-	16234	firmware and rom	USPĀT;	2004/05/06 16:33
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	6036	(firmware and rom) and (wholly or	USPAT;	2004/05/06 16:36
		absolutely or completely or entirely or	US-PGPUB;	
		particularly)	EPO; JPO;	
			DERWENT;	
ļ	5070		IBM_TDB	0004/05/06 16 26
-	5279	1 , , = = =	USPAT; US-PGPUB;	2004/05/06 16:36
		absolutely or completely or entirely or particularly)) and storage	EPO; JPO;	
		partitudially,, and beorage	DERWENT;	
			IBM TDB	
-	4589	(((firmware and rom) and (wholly or	USPAT;	2004/05/06 16:36
		absolutely or completely or entirely or	US-PGPUB;	
		particularly)) and storage) and interface	EPO; JPO; DERWENT;	
			IBM TDB	
-	1040	((((firmware and rom) and (wholly or	USPAT;	2004/05/06 16:37
		absolutely or completely or entirely or	US-PGPUB;	
		particularly)) and storage) and interface)	EPO; JPO;	
		and boot	DERWENT;	
	30	///firmuono and nomb and /shaller are	IBM_TDB USPAT;	2004/05/07 17:20
-	38	((((firmware and rom) and (wholly or absolutely or completely or entirely or	USPAT; US-PGPUB;	2004/05/07 17:36
		particularly)) and storage) and interface)	EPO; JPO;	
		and (host adj code)	DERWENT;	
			IBM_TDB	
-	8	() () () = = = = = = = = = = = = = =	USPAT;	2004/05/06 16:37
		absolutely or completely or entirely or	US-PGPUB;	
		particularly)) and storage) and interface) and (host adj code)) and intelligent	EPO; JPO; DERWENT;	
		and those adj code,, and interrigent	IBM TDB	
-	8	(((((firmware and rom) and (wholly or	USPAT;	2004/05/06 16:50
		absolutely or completely or entirely or	US-PGPUB;	
		particularly)) and storage) and interface)	EPO; JPO;	
		and (host adj code)) and intelligent) and	DERWENT;	
	l	@ad < "19980509"	IBM_TDB	<u> </u>

	1646	supervis\$3 and firmwar\$2 and (rom or read adj only adj memory)	USPAT; US-PGPUB;	2004/05/06 17:58
		adj only adj memoly)	EPO; JPO;	
			DERWENT;	
	11	(load adj segment) with ((central adj	IBM_TDB USPAT;	2004/05/06 18:00
_	**	process\$3 adj unit) or CPU)	US-PGPUB;	2004/05/00 10:00
			EPO; JPO;	
			DERWENT;	
_	10	((load adj segment) with ((central adj	IBM_TDB USPAT;	2004/05/06 18:00
	10	process\$3 adj unit) or CPU)) and @ad <	US-PGPUB;	2001,00,00 10.00
}		"19980509"	EPO; JPO;	
			DERWENT; IBM TDB	
_	17	"5657473"	USPAT;	2004/05/07 13:22
	1		US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	12	"800135"	USPĀT;	2004/05/07 16:11
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	17	"5657473"	USPAT;	2004/05/07 13:24
			US-PGPUB; EPO; JPO;	,
			DERWENT;	
			IBM_TDB	0004/05/05 16 10
-	0	control\$3 with transfer\$3 with informatoin	USPAT; US-PGPUB;	2004/05/07 16:12
			EPO; JPO;	
			DERWENT;	
_	0	control\$3 with transfer\$3 adj informatoin	IBM_TDB USPAT;	2004/05/07 16:12
		constant mass standard and intermediate	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	0	control\$3 with (transfer\$3 adj	USPAT;	2004/05/07 16:12
		informatoin)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	6179398	control\$3	USPAT;	2004/05/07 16:12
			US-PGPUB; EPO; JPO;	
			DERWENT;	
	6000		IBM_TDB	2004/05/07 16:16
_	6909	control\$3 with (transfer\$3 adj information)	USPAT; US-PGPUB;	2004/05/07 16:16
			EPO; JPO;	
			DERWENT;	
-	234	 (control\$3 with (transfer\$3 adj	IBM_TDB USPAT;	2004/05/07 16:18
		information)) and partition	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	167	1 ' '	USPAT;	2004/05/07 16:18
		information)) and partition) and @ad < "19980509"	US-PGPUB;	
		1990000	EPO; JPO; DERWENT;	
			IBM_TDB	
_	0	((((firmware and rom) and (wholly or	USPAT;	2004/05/07 17:37
		absolutely or completely or entirely or particularly)) and storage) and interface)	US-PGPUB; EPO; JPO;	
		and (host adj code) and wholly	DERWENT;	
		<u> </u>	IBM_TDB	

	3	-1-11	USPAT;	2004/05/07 17:37
-	3	wholly adj firmware	US-PGPUB;	2004/05/07 17:37
İ			EPO; JPO;	
			DERWENT;	
			I	
		() 33 1' 6'	IBM_TDB	2004/05/07 17:42
-	3	(wholly adj firmware) and @ad <19980509	USPAT;	2004/05/07 17:42
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	10010	· · · · · · · · · · · · · · · · · · ·	IBM_TDB	2004/05/07 17:42
-	18849	software with ROM	USPAT;	2004/05/07 17:42
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	7001	/ CI	IBM_TDB	2004/05/07 17:42
-	7201	(software with ROM) and @ad <19980509	USPAT;	2004/05/07 17:43
			US-PGPUB;	
1			EPO; JPO;	
		·	DERWENT;	
		(4 5 10000500)	IBM TDB	2004/05/07 17:42
_	3923	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	USPAT;	2004/05/07 17:43
		and load\$3	US-PGPUB;	
			EPO; JPO;	
•			DERWENT;	
	200	111 POW 1 0-1 (10000F00)	IBM_TDB	2004/05/07 17:44
-	308	1 , , ,	USPAT; US-PGPUB;	2004/05/07 17:44
		and load\$3) and partition		
			EPO; JPO; DERWENT;	
			IBM TDB	
	43	((((software with ROM) and @ad <19980509)	USPAT;	2004/05/07 17:45
-	43	and load\$3) and partition) and (code adj	US-PGPUB;	2004/03/07 17:43
		segment)	EPO; JPO;	
'		Segment)	DERWENT;	
			IBM TDB	
_	27	"5586301"	USPAT;	2004/05/10 10:07
-	21	3300301	US-PGPUB;	2551, 55, 15 15.6
			EPO; JPO;	
			DERWENT;	
مجتلت			IBM TDB	
i.	1		1 100	